Examiner-Initiated Interview Summary	Application No.	Applicant(s)
	10/632,283	SABATE ET AL.
	Examiner	Art Unit
	Tiffany A. Fetzner	2859
All Participants:	Status of Applica	tion: <u>Amended</u>
(1) <u>Tiffany A. Fetzner</u> .	(3)	
(2) Attorney Patrick S. Yoder Reg. No. 37,479.	(4)	
Date of Interview: 16 March 2005	Time: <u>1:30pm</u>	
Type of Interview:	Applicant's representative)	
Part I.		
Rejection(s) discussed: None		
Claims discussed: Claims 1, 4-8, 23 and 24 and how to amend these claims independent claims are drawn to the same invention with		
Prior art documents discussed: None		
Part II.		
SUBSTANCE OF INTERVIEW DESCRIBING THE See Continuation Sheet	GENERAL NATURE OF WI	HAT WAS DISCUSSED:
Part III.		
 ☑ It is not necessary for applicant to provide a septimental directly resulted in the allowance of the application of the interview in the Notice of Allowability. ☐ It is not necessary for applicant to provide a septimental did not result in resolution of all issues. A brief septimental did not result in resolution of all issues. 	on. The examiner will providors arate record of the substan	le a written summary of the substance ce of the interview, since the interview
(Examiner/SPE Signature) (Ap	phicant/Applicant's Represe	ntative Signature – if appropriate)

Continuation of Substance of Interview including description of the general nature of what was discussed: The examiner contacted applicant's representative because the amendment of December 15th 2004 raised the issue of a possible election of species requirement, since the scope of the originally presented claims was altered by the amendments to claim 1 and new claim 23 of the December 15th 2004 response. The examiner also noted that applicant's amended claim 1 was missing the clarification that the circuitry components set forth comprised a Magnetic resonance Imaging (MRI) gradient coil system. Applicant's representative agreed to the examiner making an examiner's amendment to Amended independent claims 1, 23 and dependent claims 4-8, in order to clarify that the coil recited was actually a gradient coil consistently, to correct antecedent basis where a correction was needed, to correct grammatical concerns, and remove any "intended use" issue by reciting all structural features with positive recitation. The applicant also agreed to have the examiner amend the specification to include a correction that was missed in the December 15th 2004 response. The examiner informed applicant that new formal drawings are needed due to the fact that the official draftsperson has objected to applicant's submitted formal drawings.